

COVERALL PAINT-TEX® PLUS



TECHNICAL SPECIFICATIONS

Coverall breathable waterproof protection to solid particles and chemical splashes limited intensity.

Description: EPI Cat. III, type 5 + 6, antistatic

Confection: Coverall sweatshirt, two-way zipper and storm flap. Elasticated hood, waist, wrists and ankles, stiched seams.

Features: Highly breathable. Resistant to abrasion. Antistatic. Waterproof paint splatters.

Raw Material: 100% polypropylene 3 layers. SMS = Spunbonded-Meltblown-Spunbonded

Weight: 59 g/m² (±5%)

Color: Light Grey

Sizes: M-L-XL-XXL

Package: 25 units / box (individually bagged)

Official Approval by:

CE Norms	Description
EN 340: 2002	General requirements for protective clothing.
EN 13034: 2005	Limited protection against chemical spray – type 6
EN 13982: 2004	Protection against solid particles – type 5
EN 1149-5: 2008	Antistatic properties (surface resistance)
EN 1073: 2002	Protection against radioactive particles

Physical Properties:

Test nº	Description	Units	Results	Class EN
EN 530	Abrasion Resistance	cycle	>100 <500	3
EN 863	Puncture Strength	N	6,57	1
ISO 2960	Breaking Strength	KN/M ²	500	3
ISO 7854	Flex crack	cycle	>100k	6
ASI 9073	Trapezoidal tear strength	N	54,9	3
EN 5082	Seam Strength	N	80,5	3

Repellency and permeation of liquid chemicals:

Test nº	Description	Product	Repellency %	Penetration %
EN 368	Chemical Repellency	Sulfuric acid 30%	Class 3	Class 3
EN 368	(for clothing type 6)	Sodium hydroxide 10%	Class 3	Class 3